

Claims:

1. A stabilizing arrangement for a double walled drawer, mounted  
5 for guided in and out movement with respect to a furniture  
body comprising;

drawer support means, for supporting said drawer during the in  
and out movement;

10 a guide (30) located in a slot on the support means to  
accommodate variance between the furniture body and said  
drawer width ;

15 a runner system housed within said support means to enable  
said in and out movement;

wherein said guide being moveable laterally in order to be  
aligned with a drawer runner system while fitting into said  
20 slot and locked thereto when force is applied to said guide  
(30)

2. The stabilizing arrangement as claimed in claim 1 or claim 2,  
25 wherein the drawer support means for supporting the in and out  
movement is a bottom support bracket (60)

3. The stabilizing arrangement as claimed in claim 1 further  
comprising a force supplying means, for locking said guide  
30 onto the support means.

4. The stabilizing arrangement as claimed in claim 1, wherein the guide 30 is sized relatively fit in a serration on the bottom support bracket 60.
- 5 5. The stabilizing arrangement as claimed in anyone of claim 1 to 3, wherein the force supplying means applies constant pressure to the guide 30.
- 10 6. The stabilizing arrangement as claimed in claim 1, wherein the force supplying means for producing a resilient force on said guide (30) includes a lever (20) and a leg (10)
- 15 7. The stabilizing arrangement as claimed in claim 5, wherein said lever (20) is in the form of an inverted U- shaped bracket.
- 20 8. The stabilizing arrangement as claimed in claim 5, wherein said leg (10) is formed sheet metal or any suitable material with two side surfaces with a relatively smooth edge, which is adapted to fit a recess 21 of said lever 20.
- 25 9. The stabilizing arrangement as claimed in claim 1, wherein the force supplying means is affixed onto the drawer bottom support bracket 60 by a holder 40.
- 30 10. The stabilizing arrangement as claimed in claim 7, wherein the holder (40) is in the form of an L-shaped bracket.
11. The stabilizing arrangement as claimed in claim 1 wherein the guide (30) is in alignment automatically with the runner system.

12. The drawer fitted with a stabilizing arrangement as claimed in anyone of claim 1 to claim 5.

5 13. A drawer as claimed in claim 1 having the stabilizing arrangement on at least one side of the drawer.